



International Journal of Gerontology

journal homepage: <http://www.sgecm.org.tw/ijge/>



Keywords Index

A		chronic disease	16:334
accidental catheter removal	16:60	ciclesonide	16:144
accidental falls	16:95	clinical assessment tool	16:257
activity restriction	16:384	CNSE	16:290
acute ischemic stroke	16:11	cognition	16:242, 316
acute kidney injury	16:133	cognitive dysfunction	16:95, 116, 218, 308, 355
acute myelocytic leukemia	16:57	cognitive function	16:106
acute promyelocytic leukemia	16:150	cognitive functioning	16:348
Addenbrooke's Cognitive Examination-Revised (ACE-R)	16:139	cognitive impairment	16:139
adherence	16:52	cognitive screening	16:139
adverse outcomes	16:322	collateral grade	16:11
afatinib	16:266	community	16:52
aged	16:33, 207, 218, 262, 281, 334	community health service	16:106
aging	16:95, 155, 231, 374	community isolation facility	16:213
all-trans retinoic acid	16:150	comorbidity	16:207
alveolar bone loss	16:370	coronary artery disease	16:110
Alzheimer's disease	16:122, 395	coronary heart disease	16:370
animal-assisted therapy	16:390	COVID-19	16:144, 167, 180, 186, 191, 196, 202, 207, 213, 400
anticoagulant therapy	16:339	COVID-19 drug treatment	16:400
aortic valve disease	16:110	COVID-19 vaccine	16:175
arsenic trioxide	16:150	critical	16:191
arylesterase	16:395	critical care	16:60, 403
ASPECTS	16:11	cross-sectional study	16:15
association	16:286	cutaneous lymphoma	16:72
atherosclerosis	16:374	cut-off score	16:365
atrial fibrillation	16:322, 343		
attitude toward aging	16:257	D	
augmentation index	16:271	daily functioning	16:348
automobile driving	16:218	daily living	16:277
azacitidine	16:57	daytime sleepiness	16:7
		death	16:262
B		deep venous thrombosis (DVT)	16:339
bacteremia	16:290	dementia	16:308
balance	16:100	depression	16:100
board game	16:348	depression symptoms	16:95
body height	16:308	depressive disorder	16:281
bony injury	16:277	diagnostic test accuracy	16:83
Borchardt's triad	16:147	dietary habit	16:46
brain	16:281	direct oral anticoagulant	16:66
BsmI	16:21	distortion	16:374
		donor site of skin grafting	16:361
C		driving pressure	16:191
carbapenem-nonsensitive Enterobacteriaceae	16:290		
cardiac rehabilitation	16:76	E	
cardiac surgical procedures	16:110	economic activity	16:384
cardiac tamponade	16:66	education	16:218
catheter ablation	16:322	effectiveness	16:175
catheterization	16:403	EGFR	16:266
central systolic blood pressure	16:271		
central venous	16:403		

elastic band	16:224	internal carotid artery	16:11
elder patients	16:57	intima-media thickness	16:271
elderly	16:2, 15, 69, 150, 213, 247, 254, 266, 322, 365, 384, 390	intra-arterial thrombectomy	16:11
		intra-hospital transmission	16:186
elderly patients	16:339	intramuscular fat	16:271
endoscopic ultrasound	16:254	ischemic stroke	16:2
enoxaparin	16:144	isolation	16:100
ezetimibe	16:247		
F		L	
factor analysis	16:365	latent syphilis	16:69
falls	16:28	lateral ankle sprain	16:277
fasting blood glucose	16:286	left atrial diameter	16:343
finasteride	16:303	leisure activities	16:379
fine needle biopsy	16:254	lipids	16:286
Flexi-Bar	16:295	loneliness	16:390
frailty	16:89, 110, 153, 175, 231, 237, 295, 322	low dose cytarabine	16:57
		low-density lipoprotein cholesterol	16:247
functional capacity	16:116		
functional near-infrared spectroscopy	16:316	M	
G		mania	16:400
gastric volvulus	16:147	mechanical ventilation	16:133
gender difference	16:46	mediation analysis	16:334
geriatric	16:133, 207	memory	16:153
geriatric assessment	16:281	mental competency	16:116
geriatrics	16:89, 153	meta-analysis	16:316
gerontology	16:257	metabolic syndrome	16:355
growth and development	16:308	mild cognitive impairment	16:348
growth hormone secretagogue receptor	16:286	molecular diagnostic techniques	16:305
		mortality	16:133, 202, 207, 290, 384
		motor function	16:155
		motor vehicle crash	16:7
		multi-component exercise	16:295
		multidrug-resistant gram-negative	16:290
		multimorbidity	16:379
		muscle function	16:155
		muscle size	16:271
		musculoskeletal discomfort	16:295
H		N	
haematological malignancies	16:128	natriuretic peptide	16:281
hand strength	16:281	neoplasms	16:33
happiness	16:390	neurocognitive disorder	16:303
health behavior	16:46	neuro-feedback	16:316
health condition	16:384	neuromyelitis optica spectrum disorder	16:69
heart failure	16:76	non-small cell lung cancer	16:266
hemopericardium	16:66	nurses	16:28
hemorrhage	16:2	nursing home	16:196, 328
hiatal hernia	16:147		
high-intensity statin	16:247	O	
hip fracture	16:21	obesity	16:7, 403
hippocampus	16:242	obstructive sleep apnoea	16:7
Hong Kong	16:262	old age	16:39
hospital readmission	16:76	older adults	16:52, 100, 379
hospitalization	16:328	older ages	16:277
hospitalized	16:237	older cancer patients	16:128
		older patients	16:237
		opioid	16:63
		oral anticoagulant	16:343
		oral cancer	16:39
		outpatient clinic	16:196
		outpatients	16:89
I			
immunogenicity	16:175		
inappropriate sexual behavior	16:303		
independent living	16:116		
inflammation	16:167, 334		
inhaled corticosteroid	16:144		
inpatients	16:33		
intensive care unit	16:128		
intensive care units	16:133		
interleukin-1 beta	16:122		

- oxidative stress 16:122
- P**
- pacemaker lead protrusion 16:66
- pancreas 16:254
- paraoxonase 16:395
- patellofemoral osteoarthritis 16:83
- pathology 16:72
- patient care team 16:89
- patient navigators 16:76
- periodontitis 16:370
- pharmaceutical services 16:355
- physical activity 16:46
- physical examination 16:83
- physical fitness 16:295
- physical functional performance 16:334
- physical performance 16:52
- plantar pressure 16:100
- platelet 16:167
- pneumonia 16:144, 339
- polymorphism 16:21, 286
- polypharmacy 16:328
- possible sarcopenia 16:379
- potentially inappropriate medication list 16:328
- prediction score 16:202
- prefrontal cortex 16:242
- prevalence 16:63, 231, 237
- prognosis 16:202
- prone position 16:191
- Prototheca wickerhamii* 16:305
- protothecosis 16:305
- Q**
- quarantine 16:186
- questionnaires 16:231
- R**
- recurrent stroke 16:343
- refill prescription 16:196
- rehabilitation research 16:33
- reliability and validity 16:365
- resistance training 16:95, 224
- respiratory failure 16:191
- resuscitation 16:403
- risk factor 16:15, 28
- risk factors 16:63, 231, 339
- S**
- safety 16:175, 218
- sarcopenia 16:155, 224
- SARS-CoV-2 16:167, 186, 202
- Saudi Arabia 16:237
- seizure 16:2
- self-perception of aging 16:257
- skeletal muscle 16:155
- skin regrafting 16:361
- smoking 16:46
- spatial memory 16:242
- spatial navigation 16:242
- statins 16:2
- steroids 16:400
- strategy 16:186
- stroke 16:180
- surveys 16:231
- survival 16:39, 128
- systematic review 16:83
- systemic review 16:21
- T**
- team resource management 16:60
- telehealth 16:106
- telemedicine 16:196
- tele-neuropsychological assessment 16:106
- therapeutic dog 16:390
- thoracic surgery 16:110
- T-MoCA 16:365
- tomography 16:374
- total oxidative stress 16:395
- total thiol 16:395
- traditional diagnostic techniques 16:305
- transition care period 16:76
- transverse myelitis 16:69
- treatment 16:57
- treatment period 16:277
- tumor necrosis factors-alpha 16:122
- U**
- ultrasonography 16:403
- unplanned extubation 16:60
- urinary retention 16:63
- V**
- vaccine 16:180
- Vancouver scar scale 16:361
- vertebral fracture 16:15
- vitamin D receptor 16:21
- volunteers 16:52
- voriconazole 16:305
- W**
- walk test 16:33
- walking speed 16:153
- well-being 16:379
- X**
- X-ray computer 16:374